INDEX

ACETATE, crystalline vitamin A (see Crystalline vitamin A acetate).
ACKERSON, C. W. See Borchers, R. L., 339.
Adolescent girls (see Girls, adolescent).
Adult rat (see Rat, adult).
Albino rat (see Rat, albino).
Allantoin during anabolism induced by hormones, 447.
Amino acid imbalance and growth requirements for lysine and methionine, 89.
—— mixtures (low-valine) and whole egg protein, N balance index in adult rat, 607.
—— supplementation of proteins and protein hydrolysates, 347.
Ammonium persulfate (flour maturing agent), prolonged feeding to rats of, 459.
Anabolism induced by hormones; niacin, riboflavin, allantoin, ascorbic acid, and vitamin A during, 447.
ANDERSON, J. T. See Nasset, E. S., 507.
Anomalies, congenital, in chick due to vitamin B_{12} deficiency, 423.
Appetites for calcium, magnesium and potassium. Self selection of diet. XI., 187.
—— sodium, chloride and sodium chloride. Self selection of diet. X., 173.
Arginine content of meats, 383.
Ariboflavinosis, correlation of urinary excretion of riboflavin with dietary intake and symptoms of, 247.
ARNOLD, A., AND F. C. GOBLE. Observations on the prolonged feeding to rats of the flour maturing agent, ammonium persulfate, 459.
Ascorbic acid during anabolism induced by hormones, 447.
Ataxia and loss of equilibrium, manganese deficiency in rats with relation to, 359.
Autoclaving, effect of, and trypsin inhibitor test for 17 species. Nutritive value of legume seeds. X., 339.

B vitamin (see vitamin, B).
Baby pig (see Pig, baby).
BAROTT, H. G., AND E. M. PRINGLE. Effect of environment on growth and feed and water consumption of chickens. III. The effect of temperature of environment during the period from 18 to 32 days of age, 25.
BEHER, W. T., AND O. H. GAEBLER. Observations on niacin, riboflavin, allantoin, ascorbic acid, and vitamin A during anabolism induced by hormones, 447.
BETHKE, R. M. See Burroughs, W., 51.
Biological potency of vitamin C, quantitative estimation of effect of rutin on, 487.
"Black Cod" liver oil, crystalline carotene and crystalline vitamin A acetate. Utilization of vitamin A by turkey poults. I., 565.
BONNER, D. See Krehl, W. A., 159.
BORCHERS, R. L., AND C. W. ACKERSON. The nutritive value of legume seeds. X. Effect of autoclaving and the trypsin inhibitor test for 17 species, 339.
BOUCHER, R. V., See Gurcay, R., 565.
BROWN, R. A. See Reyniers, J. A., 31.
BUCHANAN, A. R. See Hill, R. M., 359.
BURROUGHS, W., B. H. EDGINGTON, W. L. ROBISON AND R. M. BETHKE. Niacin deficiency and enteritis in growing pigs, 51.

CALBERT, C. E. See Greenberg, S. M., 473.
Calcium, appetites for. Self selection of diet. XI., 187.
— phosphate deposits in guinea pigs and phosphorus content of diet, 203.
— retained from one level of intake by 6 adolescent girls, 137.
CALLENBACH, E. W. See Gurcay, R., 565.
CAMPBELL, C. J. See Reyniers, J. A., 31.
CAMPBELL, E. W. See Holtkamp, D. E., 307.
Carcass (total) of albino rat, interrelationships among fat, water content and specfic gravity of. Studies of dietary restriction and rehabilitation. II., 597.
Carotene (crystalline), crystalline vitamin A acetate and "Black Cod" liver oil. Utilization of vitamin A by turkey poults. I., 565.
— site of conversion to vitamin A in chick, 619.
Carotenoid metabolism (see Metabolism, carotenoid).
Cattle, dairy, comparison of techniques used in digestibility studies with, 583.
CHELDELIN, V. H. See Nishi, H., 279.
CHENG, A. L. S., AND H. J. DEUEL, JR. Studies on carotenoid metabolism. X. The site of conversion of carotene to vitamin A in the chick, 619.
Chick(s), congenital anomalies in, due to vitamin B_{12} deficiency, 423.
— site of conversion of carotene to vitamin A in, 619.
— (White Leghorn), gross development and vitamin utilization studies employing. Germ-free chicken nutrition. I., 31.
Chicken(s), effect of environment on growth and feed and water consumption of. III., 25.
— (germ-free) nutrition. I., 31.
Chloride, appetites for. Self selection of diet. X., 173.
— (sodium), appetites for. Self selection of diet. X., 173.
Choline requirement, dietary, of baby pig, effect of high level of methionine on, 149.
Chromic oxide, use as index for determining digestibility of a diet, 629.
CLAYTON, R. See Da Costa, E., 597.
Cod liver oil (black), crystalline carotene and crystalline vitamin A acetate. Utilization of vitamin A by turkey poults. I., 565.
Components, food (see Food components).
Congenital anomalies in chick due to vitamin B_{12} deficiency, 423.
Conjugate, pantothenic acid (PAC), in rat tissues, influence of dietary pantothenic acid upon a, 279.

Conversion of carotene to vitamin A in chick, site of, 619.
COOKE, R. See Sharpe, L. M., 433.
CORDES, E. M. See Dasler, W., 499.
CORDS, F. See Halbrook, E. R., 555.
Corn meal diets (high), effect of supplementation of, on rat reproduction and lactation, 533.
COUCH, J. R. See Olcese, O., 73, 423.
CRAMPTON, E. W., AND L. E. LLOYD. A quantitative estimation of the effect of rutin on the biological potency of vitamin C, 467.
— See Schürch, A. F., 629.
Crystalline carotene, crystalline vitamin A acetate and "Black Cod" liver oil. Utilization of vitamin A by turkey poults. I., 565.
Crystalline vitamin A acetate, crystalline carotene and "Black Cod" liver oil. Utilization of vitamin A by turkey poults. I., 565.

DA COSTA, E., AND R. CLAYTON. Studies of dietary restriction and rehabilitation. II. Interrelationships among the fat, water content and specific gravity of the total carcass of the albino rat, 597.
Dairy cattle (see Cattle, dairy).
DASLER, W. The effects of excess tryptophan and excess lysine on the production of rickets in the rat, 499.
Decay, tooth, in albino rat, effects of dietary composition on, 13.
DECKER, A. B., D. L. FILLERUP AND J. F. MEAD. Chronic essential fatty acid deficiency in mice, 507.
Derivatives and precursors, niacin, utilization by rat and Neurospora, 159.
DEUEL, H. J., JR. Graham Lusk (Feb. 15, 1866–July 18, 1932), a biography, 3.
— See Cheng, A. L. S., 619, Greenberg, S. M., 473.
Diet(s), calcium phosphate deposits in guinea pigs and phosphorus content of, 203.
— effect of fat level of, on general nutrition. VI., 473.
— — on susceptibility of rats to poisoning by 2,4,6-trinitrotoluene (TNT), 293.
— high corn meal, effect of supplementation of, on rat reproduction and lactation, 533.
— of rats, effect on growth of level of manganese in, with observations on manganese-thiamine relationship, 307.
— self selection of. X., 173; XI., 187; XII., 373.
— use of chromic oxide as index for determining digestibility of a, 629.
— (zein), studies with. Lysine deficiency in rats. I., 215.
Dietary choline requirement of baby pig, effect of high level of methionine on, 149.
— composition, effects on tooth decay in albino rat, 13.
— intake and symptoms of ariboflavinosis, correlation of urinary excretion of riboflavin with, 247.
— massive hepatic necrosis in rats, yeast in production of, 265.
— pantothenic acid, influence upon a pantothenic acid conjugate (PAC) in rat tissues, 279.
— restriction and rehabilitation, studies of. II. Interrelationships among fat, water content and specific gravity of total carcass of albino rat, 597.
Digestibility of a diet, use of chromic oxide as index for determining, 629.
— studies with dairy cattle, comparison of techniques used in, 583.
Domestic fowl, mature, vitamin B_{12} concentrates in nutrition of, 73.
Droppings and litter (poultry house), vitamin B_{12} production by microorganisms isolated from, 555.

EDGINGTON, B. H. See Burroughs, W., 51.
Egg protein (whole) and low-valine amino acid mixtures, N balance index in adult rat, 607.
ELVEHJEM, C. A. See Sirny, R. J., 383.
Enamel erosive properties of fruits and fruit juices, 63.
Enteritis and niacin deficiency in growing pigs, 51.
Environment, effect of temperature of, on chickens during period from 18 to 32 days of age, 25.
— — on growth and feed and water consumption of chickens. III., 25.
Environmental temperature(s), low, influence on thiamine requirement of adult rat, 127.
— — riboflavin requirement of growing pig at two, 317.
Equilibrium, manganese deficiency in rats with relation to ataxia and loss of, 359.
Erosive properties (enamel) of fruits and fruit juices, 63.
ERVIN, R. F. See Reyniers, J. A., 31.
Excretion(s) and intakes of thiamine and riboflavin during pregnancy, 231.
— urinary (see Urinary excretion).

FAT and thiamine, some interrelationships in nutrition of rat, 115.
— level of diet, effect on general nutrition. VI. Interrelation of linoleate and linolenate in supplying essential fatty acid requirement in rat, 473.
— water content and specific gravity of total carcass of albino rat, interrelationships among. Studies of dietary restriction and rehabilitation. II., 597.
Fatty acid (essential) deficiency, chronic, in mice, 507.
— — requirement, essential, in rat, interrelation of linoleate and linolenate in supplying, 473.
Fecal elimination of B_6 and 4-pyridoxic acid on three levels of intake, 523.
Feed consumption of chickens, effect of environment on. III., 25.
Feeding (prolonged) to rats of flour maturing agent, ammonium persulfate, 459.
FILLERUP, D. L. See Decker, A. B., 507.
Flour maturing agent (ammonium persulfate), prolonged feeding to rats of, 459.
Food components, effects of B vitamin deficiencies on selection of. Self selection of diet. XII., 373.
— factors, phytate and other, effect on iron absorption, 433.
Fowl, mature domestic, vitamin B_{12} concentrates in nutrition of, 73.
Fruit(s), enamel erosive properties of, 63.
— juices, enamel erosive properties of, 63.

GAEBLER, O. H. See Beber, W. T., 447.
Germ-free chicken nutrition. I. Gross development and vitamin utilization studies employing White Leghorn chicks, 31.
Girls, 6 adolescent, calcium retained from one level of intake by, 137.
Glucose and sucrose, relative nutritional efficiency, of, in albino rat, 545.
GOBLE, F. C. See Arnold, A., 459.
GOLDBLATT, H. See György, P., 265.

GOLDWATER, L. J. See Shils, M. E., 293.
GORDON, H. A. See Reyniers, J. A., 31.
GRAHAM LUSK (Feb. 15, 1866–July 18, 1932), a biography, 3.
GRAU, C. R., AND M. KAMEI. Amino acid imbalance and the growth requirements for lysine and methionine, 89.
Gravity, specific (see Specific gravity).
GREENBERG, S. M., C. E. CALBERT, E. E. SAVAGE AND H. J. DEUEL, JR. The effect of fat level of the diet on general nutrition. VI. The interrelation of linoleate and linolenate in supplying the essential fatty acid requirement in the rat, 473.
GREENHUT, I. T. See Sirny, R. J., 383.
Gross development studies employing White Leghorn chicks. Germ-free chicken nutrition. I., 31.
Growing pigs (see Pigs, growing).
Growth, effect on, of level of manganese in diet of rats, with observations on manganese-thiamine relationship, 307.
— of chickens, effect of environment on. III., 25.
— of rats on purified rations containing soybean protein, 103.
— requirements for lysine and methionine and amino acid imbalance, 89.
GUERRANT, N. B. See Krider, M. M., 115.
Guinea pigs, calcium phosphate deposits in, and phosphorus content of diet, 203.
GURCAY, R., R. V. BOUCHER AND E. W. CALLENBACH. Utilization of vitamin A by turkey poults. I. Crystalline carotene, crystalline vitamin A acetate and "Black Cod" liver oil, 565.
GYÖRGY, P., C. S. ROSE, R. M. TOMARELLI AND H. GOLDBLATT. Yeast in the production of dietary massive hepatic necrosis in rats, 265.

HAINES, W. T. See Mitchell, H. H., 317.
HALBROOK, E. R., F. CORDS, A. R. WINTER AND T. S. SUTTON. Vitamin B_{12} production by microorganisms isolated from poultry house litter and droppings, 555.
HAMILTON, T. S. See Mitchell, H. H., 317.
HARRIS, R. S. See Sharpe, L. M., 433.
HARVEY, C. C. See Horwitt, M. K., 247.
HEGSTED, D. M., AND G. S. MCPHEE. The thiamine requirement of the adult rat and the influence on it of a low environmental temperature, 127.
Hepatic necrosis (dietary massive), in rats, yeast in production of, 265.
HILL, R. M., D. E. HOLTKAMP, A. R. BUCHANAN AND E. K. RUTLEDGE. Manganese deficiency in rats with relation to ataxia and loss of equilibrium, 359.
— See Holtkamp, D. E., 307.
HILLS, O. W. See Horwitt, M. K., 247.
Histidine content of meats, 383.
HOGAN, A. G., W. O. REGAN AND W. B. HOUSE. Calcium phosphate deposits in guinea pigs and the phosphorus content of the diet, 203.
HOLTKAMP, D. E., AND R. M. HILL. The effect on growth of the level of manganese in the diet of rats, with some observations on the manganese-thiamine relationship, 307.
— See Hill, R. M., 359.
Hormones; niacin, riboflavin, allantoin, ascorbic acid and vitamin A during anabolism induced by, 447.
HORWITT, M. K., C. C. HARVEY, O. W. HILLS AND E. LIEBERT. Correlation of urinary excretion of riboflavin with dietary intake and symptoms of ariboflavinosis, 247.
HOUSE, W. B. See Hogan, A. G., 203.
Hydrolysates (protein) and proteins, amino acid supplementation of, 347.
Hypervitaminosis A in rat, 399.

IMBALANCE (amino acid) and growth requirements for lysine and methionine, 89.
Inhibitor test, trypsin, and effect of autoclaving, for 17 species. Nutritive value of legume seeds. X., 339.
Iron absorption, effect of phytate and other food factors on, 433.

JACOBSON, W. C. See Kane, E. A., 583.
JOHNSON, B. C. See Mitchell, H. H., 317; Nesheim, R. O., 149.
JOHNSTON, F. A., D. M. SCHLAPHOFF AND T. MCMILLAN. Calcium retained from one level of intake by 6 adolescent girls, 137.
Juices, fruit (see Fruit juices).

KADE, C. F., JR. See Wyzan, H. S., 347.
KAMEI, M. See Grau, C. R., 89.
KANE, E. A., W. C. JACOBSON AND L. A. MOORE. A comparison of techniques used in digestibility studies with dairy cattle, 583.
KING, T. E. See Nishi, H., 279.
KLIGLER, D., AND W. A. KREHL. Lysine deficiency in rats. I. Studies with zein diets, 215.
KRATZER, F. H. The activities of D and L lysine for turkey poults, 153.
KREHL, W. A., D. BONNER AND C. YANOVSKY. Utilization of niacin precursors and derivatives by the rat and Neurospora, 159.
— See Kligler, D., 215.
KRIDER, M. M., AND N. B. GUERRANT. Some interrelationships of thiamine and fat in the nutrition of the rat, 115.

LACTATION and reproduction (rat), effect of supplementation of high corn meal diets on, 533.
LAMB, A. R. On the relative nutritional efficiency of sucrose and glucose in the albino rat, 545.
Leghorn (White) chicks, gross development and vitamin utilization studies employing. Germ-free chicken nutrition. I., 31.
Legume seeds, nutritive value of. X., 339.
LIEBERT, E. See Horwitt, M. K., 247.
LINKSWILER, H., AND M. S. REYNOLDS. Urinary and fecal elimination of B_6 and 4-pyridoxic acid on three levels of intake, 523.
Linoleate and linolenate, interrelation in supplying essential fatty acid requirement in rat, 473.
Linolenate and linoleate, interrelation in supplying essential fatty acid requirement in rat, 473.
Litter and droppings (poultry house), vitamin B_{12} production by microorganisms isolated from, 555.
Liver oil ("Black Cod"), crystaline carotene and crystalline vitamin A acetate. Utilization of vitamin A by turkey poults. I., 565.
LLOYD, L. E. See Crampton, E. W., 487; Schürch, A. F., 629.
LOCKHART, H. See Sharpe, L. M., 433.
LUCKEY, T. D. See Reyniers, J. A., 31.
LUSK, GRAHAM (Feb. 15, 1866–July 18, 1932), a biography, 3.
LYMAN, C. M. See Olcese, O., 73.

Lysine and methionine, amino acid imbalance and growth requirements for, 89.
— and tryptophan, effects of excess, on production of rickets in rat, 499.
— (D and L), activities of, for turkey poults, 153.
— deficiency in rats. I. Studies with zein diets, 215.

MacVICAR, R. W. See Watts, A. B., 533.
Magnesium, appetites for. Self selection of diet. XI., 187.
Manganese deficiency in rats with relation to ataxia and loss of equilibrium, 359.
— effect on growth of level in diet of rats, with observations on manganese-thiamine relationship, 307.
— thiamine relationship, observations on, 307.
Mannering, G. J. See Reyniers, J. A., 31.
Mature domestic fowl, vitamin B_{12} concentrates in nutrition of, 73.
McMillan, T. See Johnston, F. A., 137.
McPhee, G. S. See Hegsted, D. M., 127.
Mead, J. F. See Decker, A. B., 507.
Meats, arginine and histidine content of, 383.
Metabolism, carotenoid, studies on. X. Site of conversion of carotene to vitamin A in chick, 619.
Methionine and lysine, amino acid imbalance and growth requirements for, 89.
— effect of high level of, on dietary choline requirement of baby pig, 149.
Mice, chronic essential fatty acid deficiency in, 507.
Microorganisms isolated from poultry house litter and droppings, vitamin B_{12} production by, 555.
Miller, C. D. Enamel erosive properties of fruits and fruit juices, 63.
Mitchell, H. H., B. C. Johnson, T. S. Hamilton and W. T. Haines. The riboflavin requirement of the growing pig at two environmental temperatures, 317.
Moore, L. A. See Kane, E. A., 583.
Morrissey, P. D. See Scott, E. M., 173, 187, 373.

NAKAMURA, R. See Lamb, A. R., 545.
Nasset, E. S., and J. T. Anderson. The N balance index of low-valine amino acid mixtures and of whole egg protein in the adult rat, 607.
Necrosis, dietary massive hepatic, in rats, yeast in production of, 265.
Nesheim, R. O., and B. C. Johnson. Effect of a high level of methionine on the dietary choline requirement of the baby pig, 149.
Neurospora, utilization of niacin precursors and derivatives by, 159.
Niacin deficiency and enteritis in growing pigs, 51.
— during anabolism induced by hormones, 447.
— precursors and derivatives, utilization by rat and Neurospora, 159.
Nightingale, G. See Sharpe, L. M., 433.
Nishi, H., T. E. King and V. H. Cheldelin. Pantothenic acid studies. IX. The influence of dietary pantothenic acid upon a pantothenic acid conjugate (PAC) in rat tissues, 279.
Nitrogen balance index of low-valine amino acid mixtures and of whole egg protein in adult rat, 607.
Nutrition, general, effect of fat level of diet on. VI., 473.
— germ-free chicken. I., 31.
— of mature domestic fowl, vitamin B_{12} concentrates in, 73.
— of rat, some interrelationships of thiamine and fat in, 115.
Nutritional efficiency, relative, of sucrose and glucose in albino rat, 545.
— value of plant materials. I. Growth of rats on purified rations containing soybean protein, 103.
Nutritive value of legume seeds. X. Effect of autoclaving and trypsin inhibitor test for 17 species, 339.

OHMAN, R. J. See Watts, A. B., 533.
Olcese, O., J. R. Couch and C. M. Lyman. Vitamin B_{12} concentrates in the nutrition of the mature domestic fowl, 73.
—— J. H. Quisenberry and P. B. Pearson. Congenital anomalies in the chick due to vitamin B_{12} deficiency, 423.
Oldham, H., B. B. Sheft and T. Porter. Thiamine and riboflavin intakes and excretions during pregnancy, 231.
Oxide, chromic (see Chromic oxide).

PAC (pantothenic acid conjugate) in rat tissues, influence of dietary pantothenic acid upon a, 279.
Pantothenic acid conjugate (PAC) in rat tissues, influence of dietary pantothenic acid upon a, 279.
—— dietary, influence upon a pantothenic acid conjugate (PAC) in rat tissues, 279.
—— studies. IX., 279.
Peacock, W. C. See Sharpe, L. M., 433.
Pearson, P. B. See Olcese, O., 423.
Persulfate, ammonium (flour maturing agent), prolonged feeding to rats of, 459.
Phosphate (calcium) deposits in guinea pigs and phosphorus content of diet, 203.
Phosphorus content of diet, calcium phosphate deposits in guinea pigs and, 203.
Phytate and other food factors, effect on iron absorption, 433.
Pig(s), baby, effect of high level of methionine on dietary choline requirement of, 149.
— growing, niacin deficiency and enteritis in, 51.
—— riboflavin requirement at two environmental temperatures, 317.
— guinea (see Guinea pigs).
Plant materials, nutritional value of. I., 103.
Poisoning by 2,4,6-trinitrotoluene (TNT), effect of diet on susceptibility of rats to, 293.
Porter, T. See Oldham, H., 231.
Potassium, appetites for. Self selection of diet. XI., 187.
Poultry house litter and droppings, vitamin B_{12} production by microorganisms isolated from, 555.
Poults, turkey (see Turkey poults).
Precursors and derivatives, niacin, utilization by rat and Neurospora, 159.
Pregnancy, thiamine and riboflavin intakes and excretions during, 231.
Pringle, E. M. See Barott, H. G., 25.
Protein(s) and protein hydrolysates, amino acid supplementation of, 347.
— (soybean), growth of rats on purified rations containing, 103.
— (whole egg) and low-valine amino acid mixtures, N balance index in adult rat, 607.
Pyridoxic (4-) acid and B_6, urinary and fecal elimination on three levels of intake, 523.

QUISENBERRY, J. H. See Olcese, O., 423.

RAT(s), adult, N balance index of low-valine amino acid mixtures and of whole egg protein in, 607.
—— thiamine requirement of, and influence on it of low environmental temperature, 127.
— albino, effects of dietary composition on tooth decay in, 13.
—— interrelationships among fat, water content and specific gravity of total carcass of, 597.
—— relative nutritional efficiency of sucrose and glucose in, 545.
— effect(s) of diet on susceptibility of, to poisoning by 2,4,6-trinitrotoluene (TNT), 293.
—— of excess tryptophan and lysine on production of rickets in, 499.
—— on growth of level of manganese in diet of, 307.
— growth on purified rations containing soybean protein, 103.
— hypervitaminosis A in, 399.
— interrelation of linoleate and linolenate in supplying essential fatty acid requirement in, 473.
— lysine deficiency in, I., 215.
— manganese deficiency in, with relation to ataxia and loss of equilibrium, 359.
— prolonged feeding to, of flour maturing agent, ammonium persulfate, 459.
— reproduction and lactation, effect of supplementation of high corn meal diets on, 533.
— some interrelationships of thiamine and fat in nutrition of, 115.
— tissues, influence of dietary pantothenic acid upon a pantothenic acid conjugate (PAC) in, 279.
— utilization of niacin precursors and derivatives by, 159.
— yeast in production of dietary massive hepatic necrosis in, 265.
Rations, purified, containing soybean protein, growth of rats on, 103.
REGAN, W. O. See Hogan, A. G., 203.
Reproduction and lactation (rat), effect of supplementation of high corn meal diets on, 533.
REYNIERS, J. A., P. C. TREXLER, R. F. ERVIN, M. WAGNER, H. A. GORDON, T. D. LUCKEY, R. A. BROWN, G. J. MANNERING AND C. J. CAMPBELL. Germ-free chicken nutrition. I. Gross development and vitamin utilization studies employing White Leghorn chicks, 31.
REYNOLDS, M. S. See Linkswiler, H., 523.
Riboflavin and thiamine intakes and excretions during pregnancy, 231.
— correlation of urinary excretion of, with dietary intake and symptoms of ariboflavinosis, 247.
— during anabolism induced by hormones, 447.
— requirement of growing pig at two environmental temperatures, 317.
Rickets in rat, effects of excess tryptophan and lysine on production of, 499.
ROBISON, W. L. See Burroughs, W., 51.
RODAHL, K. Hypervitaminosis A in the rat, 399.
ROSE, C. S. See György, P., 265.
ROSS, O. B. See Watts, A. B., 533.
Rutin, quantitative estimation of effect on biological potency of vitamin C, 487.
RUTLEDGE, E. K. See Hill, R. M., 359.

SAVAGE, E. E. See Greenberg, S. M., 473.
SCHLAPHOFF, D. M. See Johnston, F. A., 137.
SCHULTZE, M. O. Nutritional value of plant materials. I. Growth of rats on purified rations containing soybean protein, 103.
SCHÜRCH, A. F., L. E. LLOYD AND E. W. CRAMPTON. The use of chromic oxide as an index for determining the digestibility of a diet, 629.
SCOTT, E. M., E. L. VERNEY AND P. D. MORISSEY. Self selection of diet. X. Appetites for sodium, chloride and sodium chloride, 173; XI. Appetites for calcium, magnesium and potassium, 187; XII. Effects of B vitamin deficiencies on selection of food components, 373.
Seeds, legume, nutritive value of. X., 339.
Self selection of diet. X. Appetites for sodium, chloride and sodium chloride, 173; XI. Appetites for calcium, magnesium and potassium, 187; XII. Effects of B vitamin deficiencies on selection of food components, 373.
SHARPE, L. M., W. C. PEACOCK, R. COOKE AND R. S. HARRIS. The effect of phytate and other food factors on iron absorption, 433.
SHAW, J. H. Effects of dietary composition on tooth decay in the albino rat, 13.
SHEFT, B. B. See Oldham, H., 231.
SHEPHERD, J. R. See Wyzan, H. S., 347.
SHILS, M. E., AND L. J. GOLDWATER. The effect of diet on the susceptibility of rats to poisoning by 2,4,6-trinitrotoluene (TNT), 293.
SIRNY, R. J., I. T. GREENHUT AND C. A. ELVEHJEM. The arginine and histidine content of meats, 383.
Site of conversion of carotene to vitamin A in chick, 619.
Sodium, appetites for. Self selection of diet. X., 173.
— chloride, appetites for. Self selection of diet. X., 173.
Soybean protein, growth of rats on purified rations containing, 103.
Specific gravity, fat and water content of total carcass of albino rat, interrelationships among, 597.
Sucrose and glucose, relative nutritional efficiency of, in albino rat, 545.
Susceptibility of rats to poisoning by 2,4,6-trinitrotoluene (TNT), effect of diet on, 293.
SUTTON, T. S. See Halbrook, E. R., 555.
SWANK, W. See Watts, A. B., 533.

TECHNIQUES used in digestibility studies with dairy cattle, comparison of, 583.
Temperature(s), low environmental, influence on thiamine requirement of adult rat, 127.
— of environment, effect on chickens during period from 18 to 32 days of age, 25.
— two environmental, riboflavin requirement of growing pigs at, 317.
Thiamine and fat, some interrelationships in nutrition of rat, 115.
— and riboflavin intakes and excretions during pregnancy, 231.
— manganese relationship, observations on, 307.
— requirement of adult rat and influence on it of low environmental temperature, 127.
Tissues, rat, influence of dietary pantothenic acid upon a pantothenic acid conjugate (PAC) in, 279.

TNT (2,4,6-trinitrotoluene), effect of diet on susceptibility of rats to poisoning by, 293.
TOLL, L. B. See Holtkamp, D. E., 307.
TOMARELLI, R. M. See György, P., 265.
Tooth decay in albino rat, effects of dietary composition on, 13.
TREXLER, P. C. See Reyniers, J. A., 31.
Trinitrotoluene (2,4,6-) (TNT), effect of diet on susceptibility of rats to poisoning by, 293.
Trypsin inhibitor test, and effect of autoclaving, for 17 species. Nutritive value of legume seeds. X., 339.
Tryptophan and lysine, effects of excess, on production of rickets in rat, 499.
Turkey poults, activities of D and L lysine for, 153.
—— utilization of vitamin A by. I., 565.

URINARY elimination of B_6 and 4-pyridoxic acid on three levels of intake, 523
— excretion of riboflavin, correlation with dietary intake and symptoms of ariboflavinosis, 247.

VALINE (low-) amino acid mixtures and whole egg protein, N balance index in adult rat, 607.
VERNEY, E. L. See Scott, E. M., 173, 187, 373.
Vitamin A acetate (crystalline), crystalline carotene and "Black Cod" liver oil. Utilization of vitamin A by turkey poults. I., 565.
—— during anabolism induced by hormones, 447.
—— site of conversion of carotene to, in chick, 619.
—— utilization by turkey poults. I. Crystalline carotene, crystalline vitamin A acetate and "Black Cod" liver oil, 565.
— (B) deficiencies, effects on selection of food components. Self selection of diet. XII., 373.
— B_6 and 4-pyridoxic acid, urinary and fecal elimination on three levels of intake, 523.
— B_{12} concentrates in nutrition of mature domestic fowl, 73.
—— deficiency, congenital anomalies in chick due to, 423.
—— production by microorganisms isolated from poultry house litter and droppings, 555.
— C, quantitative estimation of effect of rutin on biological potency of, 487.
— utilization studies employing White Leghorn chicks. Germ-free chicken nutrition. I., 31.

WAGNER, M. See Reyniers, J. A., 31.
Water consumption of chickens, effect of environment on. III., 25.
— content, fat and specific gravity of total carcass of albino rat, interrelationships among, 597.
WATTS, A. B., W. SWANK, R. J. OHMAN, O. B. ROSS AND R. W. MACVICAR. The effect of supplementation of high corn meal diets on rat reproduction and lactation, 533.
White Leghorn chicks, gross development and vitamin utilization studies employing. Germ-free chicken nutrition. I., 31.
Whole egg protein and low-valine amino acid mixtures, N balance index in adult rat, 607.
WINTER, A. R. See Halbrook, E. R., 555.
WYZAN, H. S., C. F. KADE, JR., AND J. R. SHEPHERD. Amino acid supplementation of proteins and protein hydrolysates, 347.

YANOFSKY, C. See Krehl, W. A., 159.
Yeast in production of dietary massive hepatic necrosis in rats, 265.
YEE, H. See Sharpe, L. M., 433.

ZEIN diets, studies with. Lysine deficiency in rats. I., 215.